

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

SECTION 1: Identification

1.1 Product identifier

Product name **PolySense 2000G**
Scodix p/n HIK-0066-01

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses UV curable overprint clear polymer for use with Scodix digital UV Presses

1.3 Details of the supplier of the safety data sheet

Scodix Ltd.
Ha'Amal 13
4809249 Rosh Ha'Ayin
Israel

e-mail: guy@scodix.com

e-mail (competent person) guy@scodix.com (Guy Alon)

1.4 Emergency telephone number

Emergency telephone numbers				
Country	Name	Postal code/city	Telephone	Telefax
	CHEMTREC International		1-800-424-9300 or +1 703-741-5970 - 24h/7d	

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
STOT SE 3	H335
STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects
Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05, GHS07, GHS08



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

- Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling

Dodecyl acrylate, Oxybis(methyl-2,1-ethanediyl) diacrylate, 2-hydroxy-1-(4-(4-(2-hydroxy-2-methylpropionyl)benzyl)phenyl)-2-methylpropan-1-one, Propylidynetrimethanol, ethoxylated, esters with acrylic acid, Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide, 3-Methyl-1,5-pentanediyl diacrylate, amine-multifunctional acrylate based oligomer, hexamethylene diacrylate, 2-Ethylhexyl acrylate, Glycerol, Propoxylated esters with acrylic acid, 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid, 2,6-bis(1,1-dimethylethyl)-4-(phenylenemethylene)cyclohexa-2,5-dien-1-one

2.3 Other hazards

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	CAS No 28961-43-5	≥ 19.88 – ≥ 34.8	Eye Irrit. 2 / H319 Skin Sens. 1 / H317
Dodecyl acrylate	CAS No 2156-97-0	20 – 30	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 STOT SE 3 / H335
Oxybis(methyl-2,1-ethanediyl) diacrylate	CAS No 57472-68-1	20 – 30	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317
Oligoamine resin		2.7 – 9	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319
amine-multifunctional acrylate based oligomer		2.1 – 7	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317
2-hydroxy-1-(4-(4-(2-hydroxy-2-methylpropionyl)benzyl)phenyl)-2-methylpropan-1-one	CAS No 474510-57-1	2 – 5	STOT RE 2 / H373
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	CAS No 162881-26-7	2 – 5	Skin Sens. 1 / H317
3-Methyl-1,5-pentanediy diacrylate	CAS No 64194-22-5	0.75 – 3	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1A / H317
2-Ethylhexyl acrylate	CAS No 103-11-7	0.5 – 2.5	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 Skin Sens. 1 / H317 Flam. Liq. 4 / H227
Glycerol, Propoxylated esters with acrylic acid	CAS No 52408-84-1	0.101 – 0.7	Eye Irrit. 2 / H319 Skin Sens. 1 / H317
hexamethylene diacrylate	CAS No 13048-33-4	0.03 – 0.5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	CAS No 55818-57-0	0.025 – 0.25	Skin Sens. 1 / H317
2,6-bis(1,1-dimethylethyl)-4-(phenylene-methylene)cyclohexa-2,5-dien-1-one	CAS No 7078-98-0	0.01 – 0.12	Skin Sens. 1 / H317

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air. Get medical advice/attention.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

Following skin contact

Take off immediately all contaminated clothing. Get medical advice/attention. Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. Get medical advice/attention. Get medical advice/attention.

Following ingestion

Do NOT induce vomiting. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Rinse mouth with water (only if the person is conscious).

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed: See section 11: Toxicological information.

4.3 Indication of any immediate medical attention and special treatment needed

this information is not available

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Irritating and toxic fumes, Irritating and toxic fumes

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear self-contained breathing apparatus. Wear protective clothing for protection against heat and flame. Wear protective clothing for protection against heat and flame.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Avoid breathing dust/fume/gas/mist/vapors/spray. Provision of sufficient ventilation.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases. Keep away from sources of ignition - No smoking.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Avoid contact with skin and eyes. Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Do not breathe mist/vapors/spray. Keep away from sources of ignition - No smoking. Keep away from sources of ignition - No smoking.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a closed container. Keep container tightly closed and in a well-ventilated place. Store at temperatures not exceeding 30 °C. Protect from sunlight.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure limit values (Workplace Exposure Limits)

this information is not available

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

Wear appropriate long-sleeved clothing to minimize skin contact. Wear appropriate long-sleeved clothing to minimize skin contact.

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	clear-light yellow
Particle	not relevant (liquid)
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	not determined
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information

there is no additional information

There is no additional information. There is no additional information.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

If heated:

Exothermic polymerization

If exposed to light:

Exothermic polymerization.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat. UV-radiation/sunlight.

10.5 Incompatible materials

Oxidizers, Reducing agents, Radical-forming initiators, Radical-forming initiators, Peroxides, Peroxides, Alkalis, Alkalis

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	oral	LD50	>2,000 mg/kg	rat
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	dermal	LD50	>2,000 mg/kg	rat
hexamethylene diacrylate	13048-33-4	oral	LD50	>5,000 mg/kg	rat
hexamethylene diacrylate	13048-33-4	dermal	LD50	3,650 mg/kg	rabbit

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
2-Ethylhexyl acrylate	103-11-7	2B	

Legend

2B Possibly carcinogenic to humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	LC50	>90 µg/l	fish	96 h
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	EC50	>1,175 µg/l	aquatic invertebrates	48 h
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	ErC50	>260 µg/l	algae	72 h
hexamethylene diacrylate	13048-33-4	LC50	0.38 mg/l	fish	96 h
hexamethylene diacrylate	13048-33-4	EC50	8.3 mg/l	aquatic invertebrates	24 h
hexamethylene diacrylate	13048-33-4	ErC50	2.33 mg/l	algae	72 h

Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	EC50	>100 mg/l	microorganisms	3 h
hexamethylene diacrylate	13048-33-4	LC50	0.47 mg/l	aquatic invertebrates	21 d

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
hexamethylene diacrylate	13048-33-4	EC50	0.15 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 3082
IMDG-Code	UN 3082
ICAO-TI	UN 3082

14.2 UN proper shipping name

DOT	Environmentally hazardous substance, liquid, n.o.s.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
Technical name (hazardous ingredients)	Dodecyl acrylate, 2-hydroxy-1-(4-(4-(2-hydroxy-2-methylpropionyl)benzyl)phenyl)-2-methylpropan-

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G



Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09



	1-one
14.3 Transport hazard class(es)	
DOT	9
IMDG-Code	9
ICAO-TI	9
14.4 Packing group	
DOT	III
IMDG-Code	III
ICAO-TI	III
14.5 Environmental hazards	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	Dodecyl acrylate, 2-hydroxy-1-(4-(4-(2-hydroxy-2-methylpropionyl)benzyl)phenyl)-2-methylpropan-1-one
14.6 Special precautions for user	
There is no additional information.	
14.7 Transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: Dodecyl acrylate, 2-hydroxy-1-(4-(4-(2-hydroxy-2-methylpropionyl)benzyl)phenyl)-2-methylpropan-1-one), 9, III
Danger label(s)	9, fish and tree
	
	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, 441, IB3, T4, TP1, TP29
ERG No	171

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	yes (hazardous to the aquatic environment) (Dodecyl acrylate)
Danger label(s)	9, fish and tree
	
	
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree



Special provisions (SP) A97, A158, A197, A215

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) not all ingredients are listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
2-Ethylhexyl acrylate	103-11-7		IARC Carcinogens - 2B Prop 65

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
2-Ethylhexyl acrylate	103-11-7		F2 R2

Legend

F2 Flammable - Second Degree

R2 Reactive - Second Degree

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
2-PROPENOIC ACID, 2-ETHYLHEXYL ESTER	103-11-7	

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
2-Ethylhexyl acrylate	103-11-7	F
2-Ethylhexyl acrylate	103-11-7	F

Legend

F Flammability (NFPA®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
2-ethylhexyl acrylate	103-11-7		cancer

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NFPA®	National Fire Protection Association (United States)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

PolySense 2000G

Version number: 2.0
Scodix p/n: DCH-0053-01
Replaces version of: 2024-03-07 (1)

Revision: 2024-10-09

Abbr.	Descriptions of used abbreviations
	Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.